

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2237	bgp or ospf or (firewall adj filter)	US-PGPUB; USPAT	OR	ON	2004/12/08 15:23
S2	24496	(Name adj server) or (DNS) or (Domainin adj Name adj sever)	US-PGPUB; USPAT	OR	ON	2004/12/08 16:00
S3	103422	((IP) or (Internet adj protocol) or (numeric)adj address)	US-PGPUB; USPAT	OR	ON	2004/12/08 15:59
S5	5319	query near process\$5	US-PGPUB; USPAT	OR	ON	2004/12/08 15:43
S7	44048	Router or (network near router)	US-PGPUB; USPAT	OR	ON	2004/12/08 16:05
S8	103488	((IP) or (Internet adj protocol) or (numeric near address))	US-PGPUB; USPAT	OR	ON	2004/12/08 16:21
S9	2660	S7 near S8	US-PGPUB; USPAT	OR	ON	2004/12/08 16:00
S10	380	S2 near S3	US-PGPUB; USPAT	OR	ON	2004/12/08 16:02
S11	44633	rout\$5 near (traffic or information or data or request)	US-PGPUB; USPAT	OR	ON	2004/12/08 16:05
S12	18036	S7 same server	US-PGPUB; USPAT	OR	ON	2004/12/08 16:06
S13	26	S7 same S10	US-PGPUB; USPAT	OR	ON	2004/12/08 16:11
S14	764	DNS near (look\$1up or (look adj up) or request)	US-PGPUB; USPAT	OR	ON	2004/12/08 16:12
S15	984	S8 near (transala\$ or convert\$)	US-PGPUB; USPAT	OR	ON	2004/12/08 16:22
S16	25	S14 and S15	US-PGPUB; USPAT	OR	ON	2004/12/08 16:24
S17	28	reverse near S14	US-PGPUB; USPAT	OR	ON	2004/12/08 16:36
S18	4234	address near resol\$5	US-PGPUB; USPAT	OR	ON	2004/12/08 16:36
S19	16	S18 near S7	US-PGPUB; USPAT	OR	ON	2004/12/08 16:37
S20	349	S18 same S2	US-PGPUB; USPAT	OR	ON	2004/12/08 16:37
S21	60	S20 same S7	US-PGPUB; USPAT	OR	ON	2004/12/08 16:38
S22	19	S21 same user	US-PGPUB; USPAT	OR	ON	2004/12/08 16:38
S55	1285	(symbolic adj name) or (human\$ near name)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 09:48
S56	31061	(Name adj server) or (DNS) or (Domainin adj Name adj sever)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 09:49

S57	729649	Rout\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 09:49
S58	30	xml near (IP or (IP near address) or (numeric\$ near address))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 09:50
S65	1	"5862344".PN.	USPAT; USOCR	OR	ON	2004/12/09 10:16
S66	1588	routing near address	USPAT; USOCR	OR	ON	2004/12/09 10:16
S71	159	reverse near (DNS or (Donamin Name))	USPAT; USOCR	OR	ON	2004/12/09 13:11
S72	40	S56 same S71	USPAT; USOCR	OR	ON	2004/12/09 10:19
S73	6	S72 same ip same rout\$	USPAT; USOCR	OR	ON	2004/12/09 10:19
S79	192	owner with (information and Ip)	US-PGPUB; USPAT	OR	ON	2004/12/09 13:10
S80	114	S79 and S57	US-PGPUB; USPAT	OR	ON	2004/12/09 13:00
S82	10	S80 and @pd<"20010925"	US-PGPUB; USPAT	OR	ON	2004/12/09 13:00
S83	4141	owner near (information or card or data)	US-PGPUB; USPAT	OR	ON	2004/12/09 13:15
S84	115	reverse near (DNS or (Donamin adj Name adj server)or (Donamin adj Name adj system)or (DNS near (system or sever)))	US-PGPUB; USPAT	OR	ON	2004/12/09 13:12
S85	2	S83 and S84	US-PGPUB; USPAT	OR	ON	2004/12/09 13:14
S86	2	S85 and owner	US-PGPUB; USPAT	OR	ON	2004/12/09 13:14
S87	2	S85 and owner and information	US-PGPUB; USPAT	OR	ON	2004/12/09 13:14
S88	18651	(contact or owner) near (information or card or data)	US-PGPUB; USPAT	OR	ON	2004/12/09 13:15
S89	10	S88 and S84	US-PGPUB; USPAT	OR	ON	2004/12/09 13:15
S90	86	router near policy	US-PGPUB; USPAT	OR	ON	2004/12/09 14:30
S91	2	S90 near database	US-PGPUB; USPAT	OR	ON	2004/12/09 14:28
S92	2	S91 and (IP or (IP near address) or (numeric\$ near address))	US-PGPUB; USPAT	OR	ON	2004/12/13 15:21
S96	1786	rout\$ near (polic\$ or rule)	US-PGPUB; USPAT	OR	ON	2004/12/09 14:34
S97	8	S96 and S84	US-PGPUB; USPAT	OR	ON	2004/12/09 14:31
S98	8	S97 and ip	US-PGPUB; USPAT	OR	ON	2004/12/09 14:32

S99	64	S96 near (database or stor\$)	US-PGPUB; USPAT	OR	ON	2004/12/09 14:32
S10 2	15	S96 near (IP or (IP near address) or (numeric\$ near address))	US-PGPUB; USPAT	OR	ON	2004/12/09 14:40
S10 5	15	S102 and rout\$ and (IP or (IP near address) or (numeric\$ near address))	US-PGPUB; USPAT	OR	ON	2004/12/09 14:47
S10 6	1074869	(polic\$ or filter\$ or rule)	US-PGPUB; USPAT	OR	ON	2004/12/09 14:49
S11 1	83974	(admin\$ or manage\$) near (tool or applica\$ or system)	US-PGPUB; USPAT	OR	ON	2004/12/09 15:02
S11 8	3898	((rout\$ near firewall) or (rout\$)) near S106	US-PGPUB; USPAT	OR	ON	2004/12/09 16:30
S11 9	31652	(query\$ or request\$ or obtain\$ or send\$ or get) near S106	US-PGPUB; USPAT	OR	ON	2004/12/09 15:03
S12 0	80	(query\$ or request\$ or obtain\$ or send\$ or get) near S118	US-PGPUB; USPAT	OR	ON	2004/12/09 16:32
S12 1	504517	(IP or (IP near address) or (numeric\$ near address) or address)	US-PGPUB; USPAT	OR	ON	2004/12/09 15:05
S12 2	10958	S121 near ((rout\$ near firewall) or (rout\$))	US-PGPUB; USPAT	OR	ON	2004/12/09 15:05
S12 3	75	S120 and S121	US-PGPUB; USPAT	OR	ON	2004/12/09 15:11
S12 5	33	S106 near S118 near (IP or (IP near address) or (numeric\$ near address) or address)	US-PGPUB; USPAT	OR	ON	2004/12/09 15:15
S12 6	6	S118 near lookup	US-PGPUB; USPAT	OR	ON	2004/12/09 16:28
S12 7	43	S32 and S118	US-PGPUB; USPAT	OR	ON	2004/12/09 16:28
S12 8	6	S126 and S118	US-PGPUB; USPAT	OR	ON	2004/12/09 16:29
S12 9	608	((rout\$ near firewall) or (rout\$)) near (lookup or whois)	US-PGPUB; USPAT	OR	ON	2004/12/09 16:30
S13 0	0	II18 and S118	US-PGPUB; USPAT	OR	ON	2004/12/09 16:31
S13 1	32	manag\$ near S118	US-PGPUB; USPAT	OR	ON	2004/12/09 16:33
S13 6	32705	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/10 07:46
S14 0	790520	IP or IP near address or numeric near address or address	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 08:02
S14 7	1930	(rout\$) near (polic\$3 rule\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 10:37

S14 8	1302	(Router near registry)or (IRR) or (WHOIS)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 08:01
S15 0	29	S140 near S147	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 08:06
S15 1	13	S140 near S148	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 08:04
S15 3	27110	S151 an S147	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 13:05
S15 5	80934	router policy associated with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 08:07
S15 7	28	router same policy same (associated or relate\$) same IP	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 08:07
S15 9	86	(router or routing) near (polic\$3 or rule\$1) near (table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 10:34
S16 0	12	(identifi\$) near S147	US-PGPUB; USPAT	OR	ON	2004/12/10 08:34
S18 5	21462	(ASCII or UTF-8 or Unicode)	US-PGPUB; USPAT	OR	ON	2004/12/10 14:02
S18 6	404970	rout\$	USPAT	OR	ON	2004/12/10 09:56
S18 7	1580144	(output or data or information or query or request or ip or (ip near address) or address)	USPAT	OR	ON	2004/12/10 09:57
S18 8	137099	server\$	US-PGPUB; USPAT	OR	ON	2004/12/10 09:58
S18 9	33579	S186 near S187	US-PGPUB; USPAT	OR	ON	2004/12/10 09:58
S19 0	8015	S185 with S187	US-PGPUB; USPAT	OR	ON	2004/12/10 09:58
S19 1	15356	S186 same server	US-PGPUB; USPAT	OR	ON	2004/12/10 09:59
S19 2	372	S189 and S190 and S191	US-PGPUB; USPAT	OR	ON	2004/12/10 10:00
S19 4	194	S192 and @pd<"20010925"	US-PGPUB; USPAT	OR	ON	2004/12/10 10:00
S19 5	597	S147 same S140	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 10:37

S19 6	1590	S136 and "196"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 10:38
S19 7	190	S136 and S195	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 10:38
S19 8	17	S197 and @pd<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 11:38
S19 9	6469	router.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 11:38
S20 0	2182	policy.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 11:38
S20 1	29	S199 and S200	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 11:40
S20 4	6	(US-6826617-\$ or US-6829654-\$ or US-6732175-\$ or US-6006264-\$ or US-6269398-\$).did. or (JP-2001168913-\$).did.	USPAT; DERWENT	OR	ON	2004/12/10 13:04
S20 5	2	S204 and S185	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 13:08
S20 6	32	"5805820"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 13:08
S20 7	2	"5805820".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/10 13:09
S20 8	58	RIPE and router	US-PGPUB; USPAT	OR	ON	2004/12/10 13:20
S20 9	15	(language near S185) and router	US-PGPUB; USPAT	OR	ON	2004/12/10 13:24
S21 0	102	xml near S185	US-PGPUB; USPAT	OR	ON	2004/12/10 13:24
S21 1	14	S210 and router	US-PGPUB; USPAT	OR	ON	2004/12/10 13:26
S21 2	1	S210 and router and xml and ("186")	US-PGPUB; USPAT	OR	ON	2004/12/10 13:26
S21 3	14	S210 and router and xml and (S185)	US-PGPUB; USPAT	OR	ON	2004/12/10 13:26
S21 4	104	(ASCII and UTF-8 and Unicode)	US-PGPUB; USPAT	OR	ON	2004/12/10 16:14

S21 5	51	S214 and xml	US-PGPUB; USPAT	OR	ON	2004/12/10 14:07
S21 6	10	S215 and router	US-PGPUB; USPAT	OR	ON	2004/12/10 14:07
S21 7	10	S215 and router and S215	US-PGPUB; USPAT	OR	ON	2004/12/10 14:28
S21 8	179653	(method and system compiling multiple).ti.	US-PGPUB; USPAT	OR	ON	2004/12/10 14:29
S21 9	0	(method and system and compiling and multiple and languages).ti.	US-PGPUB; USPAT	OR	ON	2004/12/10 14:29
S22 0	1	(compiling and multiple and languages).ti.	US-PGPUB; USPAT	OR	ON	2004/12/10 14:30
S22 1	0	S152 and S214	US-PGPUB; USPAT	OR	ON	2004/12/10 14:30
S22 2	104	S214 and @pd<"200301231"	US-PGPUB; USPAT	OR	ON	2004/12/10 14:36
S22 3	80	S214 and @pd<"20031231"	US-PGPUB; USPAT	OR	ON	2004/12/10 14:36
S22 4	1905	network near peer\$	US-PGPUB; USPAT	OR	ON	2004/12/10 16:31
S22 6	70	S224 same (IP and router)	US-PGPUB; USPAT	OR	ON	2004/12/10 16:14
S22 7	0	S158 and S224	US-PGPUB; USPAT	OR	ON	2004/12/10 16:15
S22 8	70	S226 and S224	US-PGPUB; USPAT	OR	ON	2004/12/10 16:15
S22 9	34	network near peer\$ near S140	US-PGPUB; USPAT	OR	ON	2004/12/10 16:36
S23 0	328	(network near topology) and (network near peer)	US-PGPUB; USPAT	OR	ON	2004/12/10 16:37
S23 1	40	(network near topology) near IP	US-PGPUB; USPAT	OR	ON	2004/12/10 16:38
S23 2	0	S212 and S231	US-PGPUB; USPAT	OR	ON	2004/12/10 16:37
S23 3	34	S231 and router	US-PGPUB; USPAT	OR	ON	2004/12/10 16:38
S23 4	1545	cisco.as.	US-PGPUB; USPAT	OR	ON	2004/12/13 14:56
S23 5	1117	resolve near (IP or address)	US-PGPUB; USPAT	OR	ON	2004/12/13 14:56
S23 6	12	S234 and S235	US-PGPUB; USPAT	OR	ON	2004/12/13 15:10
S23 7	706	router and (peer\$ same (IP and address))	US-PGPUB; USPAT	OR	ON	2004/12/13 15:11
S23 8	39	S234 and S237	US-PGPUB; USPAT	OR	ON	2004/12/13 15:19
S23 9	2097	bgp or ospf	US-PGPUB; USPAT	OR	ON	2004/12/13 15:11
S24 0	12	S238 and S239	US-PGPUB; USPAT	OR	ON	2004/12/13 15:11

S24 1	120578	(IP or (IP near address) or (numeric\$ near address))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/12/13 15:22
S25 6	5706	S241 near ((list ) or (group))	US-PGPUB; USPAT	OR	ON	2004/12/13 15:29
S25 7	1867	network near peer	US-PGPUB; USPAT	OR	ON	2004/12/13 15:29
S25 8	50	S256 and S257	US-PGPUB; USPAT	OR	ON	2004/12/13 15:29
S26 0	8	(US-6006264-\$ or US-6269398-\$ or US-6732175-\$ or US-6826617-\$ or US-6829653-\$ or US-6829654-\$ or US-6392997-\$).did. or (JP-2001168913-\$).did.	USPAT; DERWENT	OR	ON	2004/12/13 17:21
S26 1	4	S260 and (command\$ or line\$1)	US-PGPUB; USPAT	OR	ON	2004/12/13 17:27
S27 0	293	(domain or (domain near name) ) same ASCII	US-PGPUB; USPAT	OR	ON	2004/12/16 11:14
S27 2	17	(domain or (domain near name) ) near ASCII	US-PGPUB; USPAT	OR	ON	2004/12/14 15:42
S27 3	17	S272 and S270	US-PGPUB; USPAT	OR	ON	2004/12/15 13:46
S27 9	533232	(IP address) or (numeric address)	US-PGPUB; USPAT	OR	ON	2004/12/15 09:33
S28 6	2227	(policy or rule) near database	US-PGPUB; USPAT	OR	ON	2004/12/15 09:37
S28 7	353	(S279 with (related or associated or belong\$)) with policy	US-PGPUB; USPAT	OR	ON	2004/12/15 09:38
S28 8	63	S279 and S286 and S287	US-PGPUB; USPAT	OR	ON	2004/12/15 09:39
S29 0	48	S288 and (rout\$ not routine)	US-PGPUB; USPAT	OR	ON	2004/12/15 09:39
S29 1	104	(ASCII and UTF-8 and Unicode)	US-PGPUB; USPAT	OR	ON	2004/12/15 13:46
S29 2	21	S291 and (domain near name)	US-PGPUB; USPAT	OR	ON	2004/12/15 13:46